



Climate sensitivity and decadal energy budget analyses

Piers Forster

p.m.forster@leeds.ac.uk

Thanks to Patrick Brown (DUKE)

Forster, P.M. Annual Reviews Earth Planet Sci.
2016, doi:10.1146/annurev-earth-060614-105156



The concept

$$N = F - \Delta T / \alpha$$

$$\alpha = (F - N) / \Delta T$$


Past results



UNIVERSITY OF LEEDS


Study	Year range	Energy imbalance (N)	Model	α (Wm $^{-2}$ K $^{-1}$)	ECS (K)	Notes
Short-timescale (decadal) analyses						
Tsushima et al. 2005	1985–1999	ERBE 60°S–60°N	Equation 1, no forcing	0.98	3.8	Overestimate of solar sensitivity by factor of 2
Forster & Gregory 2006	1985–1996	ERBE 60°S–60°N	Equation 1	2.3	1.6	Effects of regression explored
Lindzen & Choi 2009	1985–1999	Tropical ERBE	Equation 1, no forcing	4.5	0.8	Several errors in method identified
Murphy et al. 2009	1985–2005	ERBE and CERES	Equation 1	1.25	3.0	Explored seasonal and interannual analyses
Trenberth et al. 2010	1985–1999	60°S–60°N ERBE	Equation 1	0.8 to 1.6	2.3 to 4.6	Range depends on case investigated
Chung et al. 2010	1985–1999	60°S–60°N ERBE	Equation 1, no forcing	0.11	34	Very big shortwave feedback found
Lindzen & Choi 2011	1985–2008	Tropical ERBE and CERES from 2000	Equation 1, no forcing	6.9	0.5	Similar errors as in their earlier work
Tsushima & Manabe 2013	1985–2005	1985–1999, 60°S–60°N ERBE and global CERES from 2000	Equation 1, no forcing	1.1	3.4	Used a gain factor approach
Dessler 2013	2000–2010	Reanalyses	Sum of feedbacks	1.15	3.2	—
Donohoe et al. 2014	2000–2013	CERES global data	Equation 1	1.2	3.1	—
Trenberth et al. 2015	2000–2013	CERES global data	Equation 1, no forcing	1.13	3.3	$\alpha = 2.28 \text{ Wm}^{-2} \text{ K}^{-1}$ if using tropospheric temperatures for regression

Results for CERES



Forster, P.M.
Annual Reviews
Earth Planet Sci.
2016, doi:10.1146/
annurev-
earth-060614-105
156

Results for CERES







Forster, P.M.
Annual Reviews
Earth Planet Sci.
2016, doi:10.1146/
annurev-
earth-060614-105
156

Component breakdown





UNIVERSITY OF LEEDS



CERES Averaging period




UNIVERSITY OF LEEDS



When compared to models over same period difference if over 5 standard deviations larger than model mean difference



Patrick Brown- DUKE



“Perfect” Model Tests





UNIVERSITY OF LEEDS



Longer periods with consistent trends help



UNIVERSITY OF LEEDS



Conclusions



UNIVERSITY OF LEEDS

- There is skill in this method. Effective ECS does relate to actual ECS even on 15 yr periods
- Relation may approximately be 1:1 for current period but also may not!
- Annual CERES result a bit of a mystery (**data processing or physical effect not in models**)
- Need perfect “perfect” model tests → Diagnose ERF in models consistently



More info



<http://www.climate.leeds.ac.uk/>



[@PriestleyCentre](https://twitter.com/PriestleyCentre)



priestley@leeds.ac.uk